

LEX

PowerFLEX™
Cable Assemblies

We Deliver the Power™



Professional Audio Production and Touring Cables

Standard and Custom Configurations Available



Concert Touring • Churches & Schools • Sports Venues • Broadcast & Recording Studios

Audio Multipair Cables

Catalog Number	Item Description	Male Connector	Cable	Female Connector
LPA-39-8PR-xxx	Lex Pro Audio W1 8 Pair Cable	LPA-W1	Lex Pro Audio 8 Pair Snake Cable	LPA-W1
LPA-39-12PR-xxx	Lex Pro Audio W1 12 Pair Cable	LPA-W1	Lex Pro Audio 12 Pair Snake Cable	LPA-W1
LPA-61-20PR-xxx	Lex Pro Audio W2 20 Pair Cable	LPA-W2	Lex Pro Audio 20 Pair Snake Cable	LPA-W2
xxx Indicates Cable Length Standard lengths 5', 10', 15', 25', 50', 75', 100' & 150'. Custom lengths available				



8-Pair Cable

XLR Snakes

Catalog Number	Item Description	Male Connector	Cable	Female Connector
LPA-XLR-8PR-xxx	Lex Pro Audio 8 Pair XLR Cable	3-Pin XLR	Lex Pro Audio 8 Pair Snake Cable	3-Pin XLR
LPA-XLR-12PR-xxx	Lex Pro Audio 12 Pair XLR Cable	3-Pin XLR	Lex Pro Audio 12 Pair Snake Cable	3-Pin XLR
LPA-XLR-20PR-xxx	Lex Pro Audio 20 Pair XLR Cable	3-Pin XLR	Lex Pro Audio 20 Pair Snake Cable	3-Pin XLR
xxx Indicates Cable Length Standard lengths 5', 10', 15', 25', 50', 75', 100' & 150'. Custom lengths available				



8-Pair XLR Snake

XLR and TRS Cables and Adapters

Catalog Number	Item Description	A Connector	Cable	B Connector
LPA-XLR-20/2-xxx	Lex Pro Audio XLRM-F 20/2 Cable	3-Pin XLRM	Lex Pro Audio 20/2 Microphone Cable	3-Pin XLRF
LPA-XLRMTRS-20/2-xxx	Lex Pro Audio XLRF-TRS 20/2 Cable	3-Pin XLRF	Lex Pro Audio 20/2 Microphone Cable	1/4" TRS Plug
LPA-XLRFTRS-20/2-xxx	Lex Pro Audio XLRM-TRS 20/2 Cable	3-Pin XLRM	Lex Pro Audio 20/2 Microphone Cable	1/4" TRS Plug
LPA-TRS-20/2-xxx	Lex Pro Audio TRS 20/2 Cable	1/4" TRS Plug	Lex Pro Audio 20/2 Microphone Cable	1/4" TRS Plug
xxx Indicates Cable Length Standard lengths 5', 10', 15', 25', 50', 75' & 100'. Custom lengths available				



3 Pin XLR Cable



BNC Cables

Catalog Number	Item Description	Connectors A & B	Cable	Boots
LPV-RG59BNC-XXX	Lex Pro Video RG59 BNC Cable	BNC	Gepco VPM2000 (RG59)	Canare CB04
LPV-RG6BNC-XXX	Lex Pro Video RG6 BNC Cable	BNC	Gepco VSD2001 (RG6)	Canare CB04
LPV-RG6BNC4-XXX	Lex Pro Video RG6 4-Way BNC Cable	BNC	Gepco VS42001 (4-way RG6)	Canare CB04
xxx Indicates Cable Length Standard lengths 3', 6', 10', 15', 25', 50', 75' & 100'. Custom lengths available				





BNC Cables


D-Sub Cables

Catalog Number	Item Description	A Connector	Cable	B Connector	
LPA-D25MD25M-xxx	Lex Pro Audio D25M-D25M 8 Pair Cable	25 Pin Male D-Sub	Lex Pro Audio 8 Pair Snake Cable	25 Pin Male D-Sub	 <p style="text-align: center;">D Sub 8-Pair Cable</p>  <p style="text-align: center;">D Sub 8-Pair Fanout</p>
LPA-D25MD25F-xxx	Lex Pro Audio D25M-D25F 8 Pair Extension	25 Pin Male D-Sub	Lex Pro Audio 8 Pair Snake Cable	25 Pin Female D-Sub	
LPA-D25MXLRM-xxx	Lex Pro Audio D25M-XLRM 8 Pair Cable	25 Pin Male D-Sub	Lex Pro Audio 8 Pair Snake Cable	3-Pin XLRM	
LPA-D25MXLRF-xxx	Lex Pro Audio D25M-XLRF 8 Pair Cable	25 Pin Male D-Sub	Lex Pro Audio 8 Pair Snake Cable	3 Pin XLRF	
LPA-D25MTRS-xxx	Lex Pro Audio D25M-TRS 8 Pair Cable	25 Pin Male D-Sub	Lex Pro Audio 8 Pair Snake Cable	1/4" TRS plug	
xxx Indicates Cable Length Standard lengths are 6' & 12'. Custom lengths available					

Speaker Cables


Catalog Number	Item Description	Male Connector	Cable	Female Connector	
LPA-SPK12/2-1/4-xxx	Lex Pro Audio Jumbo 1/4" Speaker Cable	1/4" Jumbo Plug	Lex Pro Audio 12/2 Speaker Cable	1/4" Jumbo Plug	 <p style="text-align: center;">4 Pin Speakon</p>  <p style="text-align: center;">8 Pin CACOM</p>
LPA-SPK12/2-xxx	Lex Pro Audio NL4 Speaker Cable	4-Pin Speakon	Lex Pro Audio 12/2 Speaker Cable	4-Pin Speakon	
LPA-SPK12/4-xxx	Lex Pro Audio NL4 Speaker Cable	4-Pin Speakon	Lex Pro Audio 12/4 Speaker Cable	4-Pin Speakon	
LPA-SPK12/8-xxx	Lex Pro Audio NL8 Speaker Cable	8-Pin Speakon	Lex Pro Audio 12/8 Speaker Cable	8-Pin Speakon	
LPA-SPK12/8-C8-xxx	Lex Pro Audio CA-COM8 Speaker Cable	8-Pin CACOM	Lex Pro Audio 12/8 Speaker Cable	8-Pin CACOM	
xxx Indicates Cable Length Standard lengths 3', 5', 10', 15', 25', 50', 75' & 100'. Custom lengths available					

Speaker Fanouts

Catalog Number	Item Description	A Connector	Cable	B Connector	
LPA-BO100L-6-NL4	Lex Pro Audio 19-Pin male fanout to (4) NL4, 6'	LSC19-LMC	Lex Pro Audio 12/4 Speaker Cable	4-Pin Speakon	 <p style="text-align: center;">Speaker Fanout</p>
LPA-BO100L-6-NL8	Lex Pro Audio 19-Pin male fanout to (2) NL8, 6'	LSC19-LMC	Lex Pro Audio 12/8 Speaker Cable	8-Pin Speakon	
LPA-BI100L-6-NL4	Lex Pro Audio 19-Pin female fanout to (4) NL4, 6'	LSC19-LFC	Lex Pro Audio 12/4 Speaker Cable	4-Pin Speakon	
LPA-BI100L-6-NL8	Lex Pro Audio 19-Pin female fanout to (2) NL8, 6'	LSC19-LFC	Lex Pro Audio 12/8 Speaker Cable	8-Pin Speakon	
Custom lengths available.					

Power Cables

Catalog Number	Item Description	Male Connector	Cable	Female Connector
PE7000-xxx-L530	30A, 2P3W, 120 VAC, NEMA L5-30 Locking Extension	NEMA L5-30 Locking	12/3 SOOW-A	NEMA L5-30 Locking
PE105-xxx-L2130	30A, 4P5W 3Ø 120/208 VAC, NEMA L21-30 Locking Extension	NEMA L21-30 Locking	10/5 SOOW-A	NEMA L21-30 Locking
PE700J-xxx-515	15A, 2P3W, 120VAC, NEMA 5-15 Extension	NEMA 5-15 Straight Blade	12/3 SJ00W-A	NEMA 5-15 Straight Blade
PE700J-xxx-PCN	20A, 250V VAC, 250 VAC Powercon Extension	PowerCon Blue	12/3 SJ00W-A	PowerCon Grey
xxx Indicates Cable Length Standard lengths 3', 5', 10', 15', 25', 50', 75' & 100'. Custom lengths available				



PowerCon Extension

Connector Specifications

Connector Type	Housing	Insert	Contacts	Strain Relief
Lex Pro Audio Multipair Cables				
W1-W4 39 pin to 176 pin	Black Anodized Machined Aluminum	Thermoset Rubber	Machined brass Crimp style	Compression nut with cable gland
AMP D-Sub	Die Cast Backshell	Metal-Enclosed High Impact Plastic	Male-machined brass Female-stamped brass Solder terminals	Half Clamp on die cast housing
Lex Pro Audio Speaker Cables				
Neutrik Speakon	High Impact Thermoplastic	High Impact Thermoplastic	Stamped brass Screw terminals	Internal chuck in back housing
Neutrik 1/4" TRS	Die Cast Nickel High Impact Plastic Back housing	N/A	Machined gold-plated brass Solder style	Internal chuck in back housing
Lex Pro Audio Mic Cables				
Neutrik Black Gold XLR	Black shell High Impact Plastic Boot	High Impact Thermoplastic	Machined Gold-Plated or Nickel-Plated	Internal chuck in back housing
Lex Pro Audio Power Cables				
NEMA 5-15 (Edison) Lex-Loc™	All black High Impact Plastic	High Impact Plastic	Stamped brass Cage clamp terminals	Heavy duty Clamp type
NEMA L5-30, L21-30 (locking) Hubbell Insulgrip	Black/White High Impact Plastic	High Impact Plastic	Stamped brass Screw terminals	Heavy duty Clamp type

Cable Specifications

Cable Type	Jacket	Insulation	Conductors
Lex Pro Audio 8 Pair - 20 Pair Multi-cable	Flexible PVC Black Matte Finish 60 mil	High Density Polyethylene 10 mil	Individually shielded twisted pairs 24 AWG Stranded (7/32) Bare Copper Conductors (1) 24 AWG (7/32) drain per pair
Lex Pro Audio 12/2, 12/4, 12/8 Speaker Cable	Flexible PVC Black Matte Finish 59 mil	Flexible PVC 23 mil	12 AWG Stranded (65/30) Bare Copper Conductors
Lex Pro Audio 20 AWG/2 Mic Cable	Flexible PVC Black Matte Finish 40 mil	Low Density Polyethylene 20 mil	20 AWG Stranded (41/36) Bare Copper Conductors 22 AWG Drain Wire Tinned Copper Braid Shield
NEMA 5-15 (Edison) Extension 12/3 SJ00W-A Junior Hard Service	Thermoset Rubber 45 mil	Thermoset Rubber 30 mil	12 AWG Stranded (65/30) Bare Copper Conductors
NEMA L5-30, L21-30 (Locking) Extensions 12/3 SOOW-A Extra Hard Usage	Thermoset Rubber 60 mil	Thermoset Rubber 45 mil	12 AWG Stranded (65/30) Bare Copper Conductors